


U.S. Spinnaker Fabrics

30/20 • Stabilkote 4 • 1.5oz Ripstop • Force 9

US COLOR LINE SPINNAKER FABRICS



© Rick Tomlinson

The U.S. Spinnaker Fabrics are a tried and tested range of high quality ripstop Nylons. They span the full weight range from 0.5oz to 2.2oz generic. Lighter styles feature a coated finish for outstanding performance and durability, while heavier products are impregnated for increased durability.

The range comprises four styles of spinnaker fabrics spanning a range of weights and applications:

- ▲ 30/20: 34gsm: Lightweight warp orientated fabric, impregnated and coated for a combination of durability, performance and zero porosity. Ideal for most 0.5oz applications.
- ▲ Stabilkote 4: 44gsm: Warp orientated construction ideal for radial and cross cut panel configurations. The strength, durability and zero porosity provided by the coated and impregnated finish make this the ideal all-round 3/4oz for race and cruise applications.
- ▲ 1.5oz Ripstop: 77gsm: High sley balanced construction with an impregnated finish. A versatile product ideal for heavy air race sails and all round cruising for a wide range of wind strengths.
- ▲ Force 9: 116gsm: Balanced heavy weight construction for particularly gruelling applications. Engineered for durability with high thread line and tear strength as well as exceptional shock load resistance.


Colours - U.S. Spinnaker Fabrics

Style	Hot Pink	Raspberry	Red	Orange	Yellow	Green	Ocean Blue	Ice Blue	Dark Blue	Violet	Silver	Black	Natural
30/20			▲						▲				▲
Stabilkote 4	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
1.5oz Ripstop	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲	▲
Force 9													▲

Note: Please call to check availability of Force 9.
Information correct at time of print. Other colours available against special order. Colour representation from 4-colour process and for reference purposes only. Please inquire for colour sample of actual fabric. Neon colours and some high intensity shades are not as light fast as standard colours.

U.S. Spinnaker Fabrics

30/20 • Stabilkote 4 • 1.5oz Ripstop • Force 9



Specifications - U.S. Spinnaker Fabrics

Style	Width: mm/in		Direction	Warp x Fill: Denier	Weight: gsm/smoz		Lab 20lb	Tear Strength: lb
30/20	1370	54	Warp	30	34	0.80	8.5	2.8
			Fill	30			41	3
			Bias				14 (2 Ply)	
Stabilkote 4	1370	54	Warp	30	44	1.02	7	3.9
			Fill	40			18	4.5
			Bias				9 (2 Ply)	
1.5oz Ripstop	1370	54	Warp	70	77	1.80	4	4
			Fill	70			6.5	5
			Bias				4.5 (2 Ply)	
Force 9	1370	54	Warp	150	116	2.70	3	5
			Fill	150			6	4.5
			Bias				4 (2 Ply)	

Note: Performance data and weights are genuine averages based on a series of production lots.

Applications - U.S. Spinnaker Fabrics

Boat Length		Cruising Chute	VMG	Light Ap	Medium Ap	Heavy Runner	Heavy Reacher
25 - 35	Cruise	Stabilkote 4	-	30/20	Stabilkote 4	Stabilkote 4	Stabilkote 4
	Club Race	-	30/20	30/20	Stabilkote 4	Stabilkote 4	Stabilkote 4
	Grand Prix	-	30/20	30/20	Stabilkote 4	Stabilkote 4	Stabilkote 4
35 - 45	Cruise	Stabilkote 4	-	Stabilkote 4	Stabilkote 4	1.5 Ripstop	1.5 Ripstop
	Club Race	-	30/20	30/20	Stabilkote 4	Stabilkote 4	Stabilkote 4
	Grand Prix	-	30/20	30/20	Stabilkote 4	Stabilkote 4	Stabilkote 4
45 - 55	Cruise	1.5 Ripstop	-	Stabilkote 4	1.5 Ripstop	1.5 Ripstop	1.5 Ripstop
	Club Race	-	30/20	30/20	Stabilkote 4	1.5 Ripstop	1.5 Ripstop
	Grand Prix	-	30/20	30/20	Stabilkote 4	Stabilkote 4	1.5 Ripstop
55 - 65	Cruise	1.5 Ripstop	-	Stabilkote 4	1.5 Ripstop	1.5 Ripstop	1.5 Ripstop
	Club Race	-	30/20	30/20	Stabilkote 4	1.5 Ripstop	1.5 Ripstop
	Grand Prix	-	30/20	30/20	Stabilkote 4	1.5 Ripstop	1.5 Ripstop
65 - 75	Cruise	Force 9	-	Stabilkote 4	1.5 Ripstop	1.5 Ripstop	Force 9
	Club Race	-	30/20	30/20	Stabilkote 4	1.5 Ripstop	Force 9
	Grand Prix	-	30/20	30/20	Stabilkote 4	1.5 Ripstop	1.5 Ripstop